



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/771,263

02/04/2004

Takayuki Shimada

829-620

1391

23117 7590 04/30/2010
NIXON & VANDERHYE, PC
901 NORTH GLEBE ROAD, 11TH FLOOR
ARLINGTON, VA 22203

EXAMINER

CHIEN, LUCY P

ART UNIT

PAPER NUMBER

2871

MAIL DATE

DELIVERY MODE

04/30/2010

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/771,263	Applicant(s) SHIMADA ET AL.	
	Examiner LUCY P. CHIEN	Art Unit 2871	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 04 February 2010.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-24 and 34-60 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-24 and 34-60 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 04 February 2004 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|----------------------------------------------------------------------------------------|-------------------------------------------------------------------|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date <u>2/4/2010</u> . | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 2/4/2010 has been entered.

Response to Arguments

Applicant's arguments with respect to claim 1-24,34-60 have been considered but are moot in view of the new ground(s) of rejection.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 1-5,14-17,21,34,35,43,44,52,53 are rejected under 35 U.S.C. 103(a) as being unpatentable over Noda et al (US 5585951) and of Sunohara et al (US 5477360) in view of Moore et al (US 4877718)

Regarding Claim 1-5,14-17,21,34,35,43,44,52,53,

Noda et al (Fig. 2G - Fig. 30G) discloses a liquid crystal display device, gate lines (1330), source lines (S), switching elements (1700) each arranged near a crossing of each gate line and each source line, a gate electrode (1777) of each switching element being connected to the gate line (1330), a source electrode (S) of the switching element being connected to the source line (2204), a drain electrode (D) of the switching element being connected to a pixel electrode (1787) for applying voltage to a liquid crystal layer, wherein an photosensitive acrylic resin (column 5, rows 50-55 and column 9, rows 60-67) insulating layer is etched (1784). The insulating layer covers the drain electrode (D) to insulate from other electrodes, the gate line, and the source line. The pixel electrode (1787) is on the interlayer insulating film (1784), the pixel electrode (3017) overlaps the source line (S). The insulating film (1784) is 1.5 μm or more (Fig. 17)

Noda et al does not disclose a photosensitive resin having a dielectric constant of 3.4 to 3.8, and a spectral transmittance of the transparent interlayer organic insulating film has a lower transmittance for blue light than that for green and red light.

Sunohara et al discloses the property of the polyimide having tetracarboxylic acid di-anhydride moiety having a dielectric constant of 3.5 μm . (Column 10, rows 34-43).

Moore et al discloses (Column 3 and Column 4) an inherent photosensitive positive acting polyimide made of tetracarboxylic and dianhydride shown in the Eq2 diagram. (Column 3, rows 8-50). Therefore, Sunohara et al's disclosed polyimide is inherently photosensitive.

The acrylic resin taught by Noda et al that is photosensitive having a dielectric constant of 3.0- 3.5, are properties of an insulating layer which has a lower transmittance for blue light than for green and red light. Thus, wherein a spectral transmittance of the transparent interlayer organic insulating film has a lower transmittance for blue light than that for green and red light is met. (as explained in applicant's specification [0090] US 2001002857).

It would have been obvious to one of ordinary skill in the art at the time the invention was made modify Noda et al to further include Sunohara et al's dielectric constant of the polyimide and to include Moore et al's inherently photosensitive polyimide motivated by the desire to provide a polyimide resin which has good transparency and is useful to produce molded products with substantially no coloring and good thermal resistance (column 2, rows 4-10).

Claims 1-5,12-17,21,23,24,34,35,37-39,43,44,46-48,52,53,55-57 are rejected under 35 U.S.C. 103(a) as being unpatentable over Noda et al (US 5585951) and of Landa (US 4460667) in view of Miyagawa et al (US 5331344)

Regarding Claim 1-5,14-17,21,34,35,43,44,52,53.

Noda et al (Fig. 2G - Fig. 30G) discloses a liquid crystal display device, gate lines (1330), source lines (S), switching elements (1700) each arranged near a crossing of each gate line and each source line, a gate electrode (1777) of each switching element being connected to the gate line (1330), a source electrode (S) of the switching element being connected to the source line (2204), a drain electrode (D) of the switching

Art Unit: 2871

element being connected to a pixel electrode (1787) for applying voltage to a liquid crystal layer, wherein an photosensitive acrylic resin (column 5, rows 50-55 and column 9, rows 60-67) insulating layer is etched (1784). The insulating layer covers the drain electrode (D) to insulate from other electrodes, the gate line, and the source line. The pixel electrode (1787) is on the interlayer insulating film (1784), the pixel electrode (3017) overlaps the source line (S). The insulating film (1784) is 1.5 μm or more (Fig. 17)

Noda et al does not disclose a photosensitive resin having a dielectric constant of 3.4 to 3.8, and a spectral transmittance of the transparent interlayer organic insulating film has a lower transmittance for blue light than that for green and red light.

[Examiner is including reference of Landa (column 3, rows 48-50) only to show the scientific fact that the acrylic resin (metha methacrylate) used to make the insulator in Noda et al has a dielectric constant property of 3.0-3.5 which are overlapping ranges of the claims ranges of 3.4-3.5. In re Aller, 105 USPQ 233.(therefore the date of the reference is irrelevant)]

It is not clear from Landa that the metha methacrylate is photosensitive. Examiner is including Miyagawa et al to disclose the photosensitive material is composed of methyl methacrylate(column 34, lines 50-52).

The acrylic resin taught by Noda et al that is photosensitive having a dielectric constant of 3.0- 3.5, are properties of an insulating layer which has a lower transmittance for blue light than for green and red light. Thus, wherein a spectral transmittance of the transparent interlayer organic insulating film has a lower

transmittance for blue light than that for green and red light is met. (as explained in applicant's specification [0090] US 2001002857).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Noda et al to include Landa's dielectric constant fact of the acrylic resin motivated by the desire to produce a reliable photosensitive insulating film on top of the TFT to embed the irregularities on the surface of the device bus line are (abstract) to further include Miyagawa et al's methyl methacrylate motivated by the desire to produce a reliable photosensitive material (column 34, lines 50-52)

Regarding Claim 12,23

The limitation such as, "insulating film suppresses degradation by resist removing solution used to form the pixel electrode" is considered as product-by-process claim. Even though product-by-process claims are limited by and defined by the process, determination of patentability is based on the product itself. The patentability of a product does not depend on its method of production. If the product in the product-by-process claim is the same ~ or obvious from a product of the prior art, the claim is unpatentable even though the prior product was made by a different process." In re Thorpe, 777F.2d 695,698, 227 USPQ 964, 966 (Fed. Cir. 1985); see also MPEP 2113).

Regarding Claim 13,24,

In addition to Noda et al, Landa, and Miyagawa et al as disclosed above, since the transparent insulating layer disclosed by Noda et al is made of a same material and having the similar dielectric constant as the claimed transparent insulating layer, it

would have at least been obvious to one of ordinary skill in the art at the time of the invention was made that the transparent insulating layer of Noda et al has a light transmittance of 90% or more for light within an entire wavelength range of about 400nm to about 800 nm.

Regarding Claim 37,46,55

In addition to Noda et al, Landa, and Miyagawa et al as disclosed above, Noda et al discloses (Fig. 13) wherein the pixel electrode (1322) overlaps the gate lines (1330) by about 1 μm or more (1.5 μm)

Regarding Claim 38,39,47,48,56,57

In addition to Noda et al, Landa, and Miyagawa et al as disclosed above, Noda (column 8, rows 50-55) discloses a semiconductor layer on top of the gate insulating layer which is of amorphous silicon.

Claims 6-11,18-20,22 are rejected under 35 U.S.C. 103(a) as being unpatentable over Noda et al (US 5585951) and of Landa (US 4460667) and of Miyagawa et al (US 5331344) in view of Takatoh et al (US 5128788).

Regarding Claim 6-9,11,18-20,22

Noda et al, Landa, and Miyagawa et al disclose everything as disclosed above.

Noda et al, Landa, and Miyagawa et al do not disclose the use of a positive type photosensitive resin including a copolymer glycidyl.

Takatoh et al (Column 4, rows 5-20) discloses the use of a positive type photosensitive resin including a copolymer glycidyl added for a thermally reactive function which has a reactive peak at a wavelength of 365 nm.

It would have been obvious to one of ordinary skill in the art to modify Noda et al, Landa, and Miyagawa et al to include Takatoh positive type photosensitive resin including a copolymer glycidyl motivated by the desire to add a thermally reactive function (Column 4, rows 5-20).

Regarding Claim 10.

In addition to Noda et al, Landa, Miyagawa et al and Takatoh et al as disclosed above, Noda discloses the transparent interlayer organic insulating film is cured (column 11, rows 15-20).

Claims 40,41,49,50,58,59 are rejected under 35 U.S.C. 103(a) as being unpatentable over Noda et al (US 5585951) and of Landa (US 4460667) Miyagawa et al (US 5331344) in view of Shoji et al (US 5051800).

Noda et al, Landa, and Miyagawa et al disclose everything as disclosed above.

Noda et al, Landa, and Miyagawa et al do not disclose a contact layer made of amorphous silicon over the semiconducting layer.

Shoji et al discloses (Fig. 8) a contact layer made of amorphous silicon (17a,17b) over the semiconducting layer (15).

It would have been obvious to one of ordinary skill in the art to modify Noda et al, Landa, and Miyagawa et al to include Shoji et al's contact layer made of amorphous silicon (17a,17b) over the semiconducting layer (15) motivated by the desire to provide that restricts deteriorations of the display quality. (Abstract).

Claims 36,45,54,60 are rejected under 35 U.S.C. 103(a) as being unpatentable over Noda et al (US 5585951) and of Landa (US 4460667) Miyagawa et al (US 5331344) in view of Mori et al (US 5359441).

Noda et al, Landa, and Miyagawa et al disclose everything as disclosed above.

Noda et al, Landa, and Miyagawa et al do not disclose the pixel aperture is at least about 65% or 80%.

Mori et al disclose the pixel aperture is at least about 80% to improve the efficiency of the utilized light.

It would have been obvious to one of ordinary skill in the art to modify Noda et al, Landa, and Miyagawa et al to include Mori et al's pixel aperture is at least about 80% to improve the efficiency of the utilized light (Column 6, rows 1-10).

Claims 42,51 are rejected under 35 U.S.C. 103(a) as being unpatentable over Noda et al (US 5585951) and of Landa (US 4460667) Miyagawa et al (US 5331344) in view of Wakai et al (US 5229644).

Regarding Claim 42,51,

Noda et al, Landa, and Miyagawa et al discloses everything as disclosed above.

Noda et al, Landa, and Miyagawa et al do not disclose the thickness of the pixel electrodes is no greater than 1500A.

Wakai et al discloses the thickness of the pixel electrodes is no greater than 1500A (column 5, rows 10,11).

It would have been obvious to one of ordinary skill in the art to modify Noda et al, Landa, and Miyagawa et al to include Wakai et al's pixel electrode thickness motivated by the desire to be able to connect to the drain through the insulating layer.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to LUCY P. CHIEN whose telephone number is (571)272-8579. The examiner can normally be reached on M-F 8:30-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David Nelms can be reached on (571)272-1787. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2871

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Lucy P Chien
Examiner
Art Unit 2871

/Lucy P Chien/

Examiner, Art Unit 2871